

ARMSTRONG® 43 Pc. 3/4" Drive 12 Point Metric Standard and Deep Mechanics Tool Set

- Made in the USA - Quality and Availability
- Extra heavy duty gauge metal box with full hinge is specifically designed for large drive size socket sets
- EYE-D™ markings on the sockets optimize size visibility, also providing SAE / metric differentiation - Socket sizes are also cut into the foam
- Ratchet has a compact head design, recessed reversing lever, Unique "I-Beam" handle design, as well as the "Torque Wrap" design incorporating a 15 degree ratcheting arc
- Socket wall dimensions are optimized to provide strength while retaining access to restricted fasteners
- Meets or Exceeds ASME B107.5M-2002, B107.10M



Cat. No.	UPC No.	Packaging	Product Weight	Shelf Pack Qty.
44-700	781412447002	Metal Box	80.00 lb	1

Cat. No.	Description	Cat. No.	Description
13-972	3/4" Drive Ratchet	40-141	3/4" Drive 12 Point Standard Socket 41mm
13-918	3/4" Drive Breaker Bar 22"	40-142	3/4" Drive 12 Point Standard Socket 42mm
13-938	3/4" Drive T-Handle 20"	40-146	3/4" Drive 12 Point Standard Socket 46mm
13-922	3/4" Drive Extension 5"	40-150	3/4" Drive 12 Point Standard Socket 50mm
13-923	3/4" Drive Extension 8"	40-154	3/4" Drive 12 Point Standard Socket 54mm
13-925	3/4" Drive Extension 16"	40-155	3/4" Drive 12 Point Standard Socket 55mm
40-119	3/4" Drive 12 Point Standard Socket 19mm	40-158	3/4" Drive 12 Point Standard Socket 58mm
40-120	3/4" Drive 12 Point Standard Socket 20mm	40-160	3/4" Drive 12 Point Standard Socket 60mm
40-121	3/4" Drive 12 Point Standard Socket 21mm	40-322	3/4" Drive 12 Point Deep Socket 22mm
40-122	3/4" Drive 12 Point Standard Socket 22mm	40-323	3/4" Drive 12 Point Deep Socket 23mm
40-123	3/4" Drive 12 Point Standard Socket 23mm	40-324	3/4" Drive 12 Point Deep Socket 24mm
40-124	3/4" Drive 12 Point Standard Socket 24mm	40-327	3/4" Drive 12 Point Deep Socket 27mm
40-125	3/4" Drive 12 Point Standard Socket 25mm	40-330	3/4" Drive 12 Point Deep Socket 30mm
40-126	3/4" Drive 12 Point Standard Socket 26mm	40-332	3/4" Drive 12 Point Deep Socket 32mm
40-127	3/4" Drive 12 Point Standard Socket 27mm	40-335	3/4" Drive 12 Point Deep Socket 35mm
40-128	3/4" Drive 12 Point Standard Socket 28mm	40-336	3/4" Drive 12 Point Deep Socket 36mm
40-129	3/4" Drive 12 Point Standard Socket 29mm	40-338D	3/4" Drive 12 Point Deep Socket 38mm
40-130	3/4" Drive 12 Point Standard Socket 30mm	40-341	3/4" Drive 12 Point Deep Socket 41mm
40-132	3/4" Drive 12 Point Standard Socket 32mm	40-346	3/4" Drive 12 Point Deep Socket 46mm
40-135	3/4" Drive 12 Point Standard Socket 35mm	40-350	3/4" Drive 12 Point Deep Socket 50mm
40-136	3/4" Drive 12 Point Standard Socket 36mm	13-947	3/4" Drive Universal Joint
40-138	3/4" Drive 12 Point Standard Socket 38mm		

ARMSTRONG® 42 Pc. 3/4" Drive 12 Point SAE Standard and Deep Mechanics Tool Set

- Made in the USA - Quality and Availability
- Extra heavy duty gauge metal box with full hinge is specifically designed for large drive size socket sets
- EYE-D™ markings on the sockets optimize size visibility, also providing SAE / metric differentiation - Socket sizes are also cut into the foam
- Ratchet has a compact head design, recessed reversing lever, Unique "I-Beam" handle design, as well as the "Torque Wrap" design incorporating a 15 degree ratcheting arc
- Socket wall dimensions are optimized to provide strength while retaining access to restricted fasteners
- Meets or Exceeds ASME B107.1-2002, B107.10M and US Federal Spec. GGG-W-641E



Cat. No.	UPC No.	Packaging	Product Weight	Shelf Pack Qty.
15-700	781412157000	Metal Box	90.00 lb	1

Cat. No.	Description	Cat. No.	Description
13-972	3/4" Drive Ratchet	13-154D	3/4" Drive 12 Point Standard Socket 1-11/16"
13-918	3/4" Drive Breaker Bar 22"	13-156D	3/4" Drive 12 Point Standard Socket 1-3/4"
13-938	3/4" Drive T-Handle 20"	13-158	3/4" Drive 12 Point Standard Socket 1-13/16"
13-922	3/4" Drive Extension 5"	13-160	3/4" Drive 12 Point Standard Socket 1-7/8"
13-923	3/4" Drive Extension 8"	13-164	3/4" Drive 12 Point Standard Socket 2"
13-925	3/4" Drive Extension 16"	13-168	3/4" Drive 12 Point Standard Socket 2-1/8"
13-124	3/4" Drive 12 Point Standard Socket 3/4"	13-170	3/4" Drive 12 Point Standard Socket 2-3/16"
13-126	3/4" Drive 12 Point Standard Socket 13/16"	13-172	3/4" Drive 12 Point Standard Socket 2-1/4"
13-128	3/4" Drive 12 Point Standard Socket 7/8"	13-176D	3/4" Drive 12 Point Standard Socket 2-3/8"
13-130	3/4" Drive 12 Point Standard Socket 15/16"	13-328	3/4" Drive 12 Point Deep Socket 7/8"
13-132	3/4" Drive 12 Point Standard Socket 1"	13-330	3/4" Drive 12 Point Deep Socket 15/16"
13-134	3/4" Drive 12 Point Standard Socket 1-1/16"	13-332	3/4" Drive 12 Point Deep Socket 1"
13-136	3/4" Drive 12 Point Standard Socket 1-1/8"	13-334	3/4" Drive 12 Point Deep Socket 1-1/16"
13-138	3/4" Drive 12 Point Standard Socket 1-3/16"	13-336	3/4" Drive 12 Point Deep Socket 1-1/8"
13-140	3/4" Drive 12 Point Standard Socket 1-1/4"	13-340	3/4" Drive 12 Point Deep Socket 1-1/4"
13-142	3/4" Drive 12 Point Standard Socket 1-5/16"	13-342	3/4" Drive 12 Point Deep Socket 1-5/16"
13-144	3/4" Drive 12 Point Standard Socket 1-3/8"	13-344	3/4" Drive 12 Point Deep Socket 1-3/8"
13-146	3/4" Drive 12 Point Standard Socket 1-7/16"	13-346	3/4" Drive 12 Point Deep Socket 1-7/16"
13-148D	3/4" Drive 12 Point Standard Socket 1-1/2"	13-348	3/4" Drive 12 Point Deep Socket 1-1/2"
13-150	3/4" Drive 12 Point Standard Socket 1-9/16"	13-352	3/4" Drive 12 Point Deep Socket 1-5/8"
13-152	3/4" Drive 12 Point Standard Socket 1-5/8"	13-947	3/4" Drive Universal Joint

3 / 4 "

3

RATCHETS / SOCKETS / DRIVE TOOLS / SETS

ARMSTRONG® 29 Pc. 3/4" Drive 12 Point SAE Mechanics Tool Set

- Made in the USA - Quality and Availability
- Extra heavy duty gauge metal box with full hinge is specifically designed for large drive size socket sets
- EYE-D™ markings on the sockets optimize size visibility, also providing SAE / metric differentiation - Socket sizes are also cut into the foam
- Ratchet has a compact head design, recessed reversing lever, Unique "I-Beam" handle design, as well as the "Torque Wrap" design incorporating a 15 degree ratcheting arc
- Socket wall dimensions are optimized to provide strength while retaining access to restricted fasteners
- Meets or Exceeds ASME B107.1-2002, B107.10M and US Federal Spec. GGG-W-641E



Cat. No.	UPC No.	Packaging	Product Weight	Shelf Pack Qty.
15-705	781412157055	Metal Box	70.00 lb	1

Cat. No.	Description	Cat. No.	Description
13-972	3/4" Drive Ratchet	13-146	3/4" Drive 12 Point Standard Socket 1-7/16"
13-918	3/4" Drive Breaker Bar 22"	13-148D	3/4" Drive 12 Point Standard Socket 1-1/2"
13-938	3/4" Drive T-Handle 20"	13-150	3/4" Drive 12 Point Standard Socket 1-9/16"
13-922	3/4" Drive Extension 5"	13-152	3/4" Drive 12 Point Standard Socket 1-5/8"
13-923	3/4" Drive Extension 8"	13-154D	3/4" Drive 12 Point Standard Socket 1-11/16"
13-925	3/4" Drive Extension 16"	13-156D	3/4" Drive 12 Point Standard Socket 1-3/4"
13-128	3/4" Drive 12 Point Standard Socket 7/8"	13-158	3/4" Drive 12 Point Standard Socket 1-13/16"
13-130	3/4" Drive 12 Point Standard Socket 15/16"	13-160	3/4" Drive 12 Point Standard Socket 1-7/8"
13-132	3/4" Drive 12 Point Standard Socket 1"	13-164	3/4" Drive 12 Point Standard Socket 2"
13-134	3/4" Drive 12 Point Standard Socket 1-1/16"	13-168	3/4" Drive 12 Point Standard Socket 2-1/8"
13-136	3/4" Drive 12 Point Standard Socket 1-1/8"	13-170	3/4" Drive 12 Point Standard Socket 2-3/16"
13-138	3/4" Drive 12 Point Standard Socket 1-3/16"	13-172	3/4" Drive 12 Point Standard Socket 2-1/4"
13-140	3/4" Drive 12 Point Standard Socket 1-1/4"	13-176D	3/4" Drive 12 Point Standard Socket 2-3/8"
13-142	3/4" Drive 12 Point Standard Socket 1-5/16"	13-947	3/4" Drive Universal Joint
13-144	3/4" Drive 12 Point Standard Socket 1-3/8"		

ARMSTRONG 28 Pc. 3/4" Drive 12 Point Metric Mechanics Tool Set

- Made in the USA - Quality and Availability
- Extra heavy duty gauge metal box with full hinge is specifically designed for large drive size socket sets
- EYE-D™ markings on the sockets optimize size visibility, also providing SAE / metric differentiation - Socket sizes are also cut into the foam
- Ratchet has a compact head design, recessed reversing lever, Unique "I-Beam" handle design, as well as the "Torque Wrap" design incorporating a 15 degree ratcheting arc
- Socket wall dimensions are optimized to provide strength while retaining access to restricted fasteners
- Meets or Exceeds ASME B107.5M-2002, B107.10M



Cat. No.	UPC No.	Packaging	Product Weight	Shelf Pack Qty.
44-705	781412447057	Metal Box	62.50 lb	1

Cat. No.	Description	Cat. No.	Description
13-972	3/4" Drive Ratchet	40-130	3/4" Drive 12 Point Standard Socket 30mm
13-918	3/4" Drive Breaker Bar 22"	40-132	3/4" Drive 12 Point Standard Socket 32mm
13-938	3/4" Drive T-Handle 20"	40-135	3/4" Drive 12 Point Standard Socket 35mm
13-922	3/4" Drive Extension 5"	40-136	3/4" Drive 12 Point Standard Socket 36mm
13-923	3/4" Drive Extension 8"	40-138	3/4" Drive 12 Point Standard Socket 38mm
40-121	3/4" Drive 12 Point Standard Socket 21mm	40-141	3/4" Drive 12 Point Standard Socket 41mm
40-122	3/4" Drive 12 Point Standard Socket 22mm	40-142	3/4" Drive 12 Point Standard Socket 42mm
40-123	3/4" Drive 12 Point Standard Socket 23mm	40-146	3/4" Drive 12 Point Standard Socket 46mm
40-124	3/4" Drive 12 Point Standard Socket 24mm	40-150	3/4" Drive 12 Point Standard Socket 50mm
40-125	3/4" Drive 12 Point Standard Socket 25mm	40-154	3/4" Drive 12 Point Standard Socket 54mm
40-126	3/4" Drive 12 Point Standard Socket 26mm	40-155	3/4" Drive 12 Point Standard Socket 55mm
40-127	3/4" Drive 12 Point Standard Socket 27mm	40-158	3/4" Drive 12 Point Standard Socket 58mm
40-128	3/4" Drive 12 Point Standard Socket 28mm	40-160	3/4" Drive 12 Point Standard Socket 60mm
40-129	3/4" Drive 12 Point Standard Socket 29mm	13-947	3/4" Drive Universal Joint

3 / 4 "

3

RATCHETS / SOCKETS / DRIVE TOOLS / SETS

ARMSTRONG® 20 Pc. 3/4" Drive 12 Point SAE Mechanics Tool Set

- Made in the USA - Quality and Availability
- Extra heavy duty gauge metal box with full hinge is specifically designed for large drive size socket sets
- EYE-D™ markings on the sockets optimize size visibility, also providing SAE / metric differentiation - Socket sizes are also cut into the foam
- Ratchet has a compact head design, recessed reversing lever, Unique "I-Beam" handle design, as well as the "Torque Wrap" design incorporating a 15 degree ratcheting arc
- Socket wall dimensions are optimized to provide strength while retaining access to restricted fasteners
- Meets or Exceeds ASME B107.1-2002, B107.10M and US Federal Spec. GGG-W-641E



Cat. No.	UPC No.	Packaging	Product Weight	Shelf Pack Qty.
15-710	781412157109	Metal Box	40.00 lb	1

Cat. No.	Description	Cat. No.	Description
13-972	3/4" Drive Ratchet	13-140	3/4" Drive 12 Point Standard Socket 1-1/4"
13-918	3/4" Drive Breaker Bar 22"	13-142	3/4" Drive 12 Point Standard Socket 1-5/16"
13-938	3/4" Drive T-Handle 20"	13-144	3/4" Drive 12 Point Standard Socket 1-3/8"
13-923	3/4" Drive Extension 8"	13-146	3/4" Drive 12 Point Standard Socket 1-7/16"
13-925	3/4" Drive Extension 16"	13-148D	3/4" Drive 12 Point Standard Socket 1-1/2"
13-128	3/4" Drive 12 Point Standard Socket 7/8"	13-152	3/4" Drive 12 Point Standard Socket 1-5/8"
13-130	3/4" Drive 12 Point Standard Socket 15/16"	13-156D	3/4" Drive 12 Point Standard Socket 1-3/4"
13-132	3/4" Drive 12 Point Standard Socket 1"	13-158	3/4" Drive 12 Point Standard Socket 1-13/16"
13-134	3/4" Drive 12 Point Standard Socket 1-1/16"	13-160	3/4" Drive 12 Point Standard Socket 1-7/8"
13-136	3/4" Drive 12 Point Standard Socket 1-1/8"	13-164	3/4" Drive 12 Point Standard Socket 2"

ARMSTRONG 19 Pc. 3/4" Drive 12 Point Metric Mechanics Tool Set

- Made in the USA - Quality and Availability
- Extra heavy duty gauge metal box with full hinge is specifically designed for large drive size socket sets
- EYE-D™ markings on the sockets optimize size visibility, also providing SAE / metric differentiation - Socket sizes are also cut into the foam
- Ratchet has a compact head design, recessed reversing lever, Unique "I-Beam" handle design, as well as the "Torque Wrap" design incorporating a 15 degree ratcheting arc
- Socket wall dimensions are optimized to provide strength while retaining access to restricted fasteners
- Meets or Exceeds ASME B107.5M-2002, B107.10M



Cat. No.	UPC No.	Packaging	Product Weight	Shelf Pack Qty.
44-710	781412447101	Metal Box	47.87 lb	1

Cat. No.	Description	Cat. No.	Description
13-972	3/4" Drive Ratchet	40-129	3/4" Drive 12 Point Standard Socket 29mm
13-918	3/4" Drive Breaker Bar 22"	40-130	3/4" Drive 12 Point Standard Socket 30mm
13-923	3/4" Drive Extension 8"	40-132	3/4" Drive 12 Point Standard Socket 32mm
13-925	3/4" Drive Extension 16"	40-135	3/4" Drive 12 Point Standard Socket 35mm
40-123	3/4" Drive 12 Point Standard Socket 23mm	40-136	3/4" Drive 12 Point Standard Socket 36mm
40-124	3/4" Drive 12 Point Standard Socket 24mm	40-138	3/4" Drive 12 Point Standard Socket 38mm
40-125	3/4" Drive 12 Point Standard Socket 25mm	40-141	3/4" Drive 12 Point Standard Socket 41mm
40-126	3/4" Drive 12 Point Standard Socket 26mm	40-142	3/4" Drive 12 Point Standard Socket 42mm
40-127	3/4" Drive 12 Point Standard Socket 27mm	40-146	3/4" Drive 12 Point Standard Socket 46mm
40-128	3/4" Drive 12 Point Standard Socket 28mm		

3 / 4 "

3

RATCHETS / SOCKETS / DRIVE TOOLS / SETS

ARMSTRONG 13 Pc. 3/4" Drive 12 Point SAE Mechanics Tool Set

- Made in the USA - Quality and Availability
- Extra heavy duty gauge metal box with full hinge is specifically designed for large drive size socket sets
- EYE-D™ markings on the sockets optimize size visibility, also providing SAE / metric differentiation - Socket sizes are also cut into the foam
- Ratchet has a compact head design, recessed reversing lever, Unique "I-Beam" handle design, as well as the "Torque Wrap" design incorporating a 15 degree ratcheting arc
- Socket wall dimensions are optimized to provide strength while retaining access to restricted fasteners
- Meets or Exceeds ASME B107.1-2002, B107.10M and US Federal Spec. GGG-W-641E



Cat. No.	UPC No.	Packaging	Product Weight	Shelf Pack Qty.
15-715	781412157154	Metal Box	44.21 lb	1

Cat. No.	Description	Cat. No.	Description
13-972	3/4" Drive Ratchet	13-138	3/4" Drive 12 Point Standard Socket 1-3/16"
13-923	3/4" Drive Extension 8"	13-140	3/4" Drive 12 Point Standard Socket 1-1/4"
13-128	3/4" Drive 12 Point Standard Socket 7/8"	13-142	3/4" Drive 12 Point Standard Socket 1-5/16"
13-130	3/4" Drive 12 Point Standard Socket 15/16"	13-144	3/4" Drive 12 Point Standard Socket 1-3/8"
13-132	3/4" Drive 12 Point Standard Socket 1"	13-146	3/4" Drive 12 Point Standard Socket 1-7/16"
13-134	3/4" Drive 12 Point Standard Socket 1-1/16"	13-148D	3/4" Drive 12 Point Standard Socket 1-1/2"
13-136	3/4" Drive 12 Point Standard Socket 1-1/8"		

ARMSTRONG® 17 Pc. 3/4" Drive 12 Point Metric Socket Set

- Made in the USA - Quality and Availability
- Radius Corner Design Engages the Flats of the Fastener, Not the Corners, Providing Up to 15% -20% More Torque While Reducing Fastener Rounding, Enhancing the Turning of Worn Fasteners
- EYE-D™ Markings Optimize Size Visibility, Also Providing SAE / Metric Differentiation
- Socket Wall Dimensions are Optimized to Provide Strength While Retaining Access to Restricted Fasteners
- Manufactured From High Alloy Steel Using the Most Up-To-Date Manufacturing Process and Heat Treat for Greater Strength and Durability
- Meets or Exceeds ASME B107.5M-2002



Cat. No.	UPC No.	Packaging	Drive Type	Product Weight	Shelf Pack Qty.
44-715	781412447156	Boxed	12 Point	14.36 lb	1

Cat. No.	Description	Cat. No.	Description
16-835	17" Socket Rail Steel	40-130	3/4" Drive 12 Point Standard Socket 30mm
16-847	3/4" Drive Socket Clips Steel	40-132	3/4" Drive 12 Point Standard Socket 32mm
40-122	3/4" Drive 12 Point Standard Socket 22mm	40-135	3/4" Drive 12 Point Standard Socket 35mm
40-123	3/4" Drive 12 Point Standard Socket 23mm	40-136	3/4" Drive 12 Point Standard Socket 36mm
40-124	3/4" Drive 12 Point Standard Socket 24mm	40-138	3/4" Drive 12 Point Standard Socket 38mm
40-125	3/4" Drive 12 Point Standard Socket 25mm	40-141	3/4" Drive 12 Point Standard Socket 41mm
40-126	3/4" Drive 12 Point Standard Socket 26mm	40-142	3/4" Drive 12 Point Standard Socket 42mm
40-127	3/4" Drive 12 Point Standard Socket 27mm	40-146	3/4" Drive 12 Point Standard Socket 46mm
40-128	3/4" Drive 12 Point Standard Socket 28mm	40-150	3/4" Drive 12 Point Standard Socket 50mm
40-129	3/4" Drive 12 Point Standard Socket 29mm		

ARMSTRONG 16 Pc. 3/4" Drive 12 Point SAE Socket Set

- Made in the USA - Quality and Availability
- Radius Corner Design Engages the Flats of the Fastener, Not the Corners, Providing Up to 15% -20% More Torque While Reducing Fastener Rounding, Enhancing the Turning of Worn Fasteners
- EYE-D™ Markings Optimize Size Visibility, Also Providing SAE / Metric Differentiation
- Socket Wall Dimensions are Optimized to Provide Strength While Retaining Access to Restricted Fasteners
- Manufactured From High Alloy Steel Using the Most Up-To-Date Manufacturing Process and Heat Treat for Greater Strength and Durability
- Meets or Exceeds ASME B107.1-2002 and US Federal Spec. GGG-W-641E



Cat. No.	UPC No.	Packaging	Drive Type	Product Weight	Shelf Pack Qty.
15-735	781412157352	Boxed	12 Point	16.02 lb	1

Cat. No.	Description	Cat. No.	Description
16-835	17" Socket Rail Steel	13-144	3/4" Drive 12 Point Standard Socket 1-3/8"
16-847	3/4" Drive Socket Clips Steel	13-146	3/4" Drive 12 Point Standard Socket 1-7/16"
13-128	3/4" Drive 12 Point Standard Socket 7/8"	13-148D	3/4" Drive 12 Point Standard Socket 1-1/2"
13-130	3/4" Drive 12 Point Standard Socket 15/16"	13-152	3/4" Drive 12 Point Standard Socket 1-5/8"
13-132	3/4" Drive 12 Point Standard Socket 1"	13-154D	3/4" Drive 12 Point Standard Socket 1-11/16"
13-134	3/4" Drive 12 Point Standard Socket 1-1/16"	13-156D	3/4" Drive 12 Point Standard Socket 1-3/4"
13-136	3/4" Drive 12 Point Standard Socket 1-1/8"	13-158	3/4" Drive 12 Point Standard Socket 1-13/16"
13-140	3/4" Drive 12 Point Standard Socket 1-1/4"	13-160	3/4" Drive 12 Point Standard Socket 1-7/8"
13-142	3/4" Drive 12 Point Standard Socket 1-5/16"	13-164	3/4" Drive 12 Point Standard Socket 2"

3 / 4 "

3

RATCHETS / SOCKETS / DRIVE TOOLS / SETS

ARMSTRONG 12 Pc. 3/4" Drive 12 Point Metric Deep Socket Set

- Made in the USA - Quality and Availability
- Radius Corner Design Engages the Flats of the Fastener, Not the Corners, Providing Up to 15% -20% More Torque While Reducing Fastener Rounding, Enhancing the Turning of Worn Fasteners
- EYE-D™ Markings Optimize Size Visibility, Also Providing SAE / Metric Differentiation
- Socket Wall Dimensions are Optimized to Provide Strength While Retaining Access to Restricted Fasteners
- Manufactured From High Alloy Steel Using the Most Up-To-Date Manufacturing Process and Heat Treat for Greater Strength and Durability
- Meets or Exceeds ASME B107.5M-2002



Cat. No.	UPC No.	Packaging	Drive Type	Product Weight	Shelf Pack Qty.
44-720	781412447200	Boxed	12 Point	17.69 lb	1

Cat. No.	Description	Cat. No.	Description
16-832	11" Socket Rail Steel	40-332	3/4" Drive 12 Point Deep Socket 32mm
16-834	13" Socket Rail Steel	40-335	3/4" Drive 12 Point Deep Socket 35mm
16-847	3/4" Drive Socket Clips Steel	40-336	3/4" Drive 12 Point Deep Socket 36mm
40-322	3/4" Drive 12 Point Deep Socket 22mm	40-338D	3/4" Drive 12 Point Deep Socket 38mm
40-323	3/4" Drive 12 Point Deep Socket 23mm	40-341	3/4" Drive 12 Point Deep Socket 41mm
40-324	3/4" Drive 12 Point Deep Socket 24mm	40-346	3/4" Drive 12 Point Deep Socket 46mm
40-327	3/4" Drive 12 Point Deep Socket 27mm	40-350	3/4" Drive 12 Point Deep Socket 50mm

ARMSTRONG® 11 Pc. 3/4" Drive 12 Point SAE Deep Socket Set

- Made in the USA - Quality and Availability
- Radius Corner Design Engages the Flats of the Fastener, Not the Corners, Providing Up to 15% -20% More Torque While Reducing Fastener Rounding, Enhancing the Turning of Worn Fasteners
- EYE-D™ Markings Optimize Size Visibility, Also Providing SAE / Metric Differentiation
- Socket Wall Dimensions are Optimized to Provide Strength While Retaining Access to Restricted Fasteners
- Manufactured From High Alloy Steel Using the Most Up-To-Date Manufacturing Process and Heat Treat for Greater Strength and Durability
- Meets or Exceeds ASME B107.1-2002 and US Federal Spec. GGG-W-641E



Cat. No.	UPC No.	Packaging	Drive Type	Product Weight	Shelf Pack Qty.
15-740	781412157406	Boxed	12 Point	14.48 lb	1

Cat. No.	Description	Cat. No.	Description
16-831	9" Socket Rail Steel	13-336	3/4" Drive 12 Point Deep Socket 1-1/8"
16-832	11" Socket Rail Steel	13-340	3/4" Drive 12 Point Deep Socket 1-1/4"
16-847	3/4" Drive Socket Clips Steel	13-342	3/4" Drive 12 Point Deep Socket 1-5/16"
13-328	3/4" Drive 12 Point Deep Socket 7/8"	13-344	3/4" Drive 12 Point Deep Socket 1-3/8"
13-330	3/4" Drive 12 Point Deep Socket 15/16"	13-346	3/4" Drive 12 Point Deep Socket 1-7/16"
13-332	3/4" Drive 12 Point Deep Socket 1"	13-348	3/4" Drive 12 Point Deep Socket 1-1/2"
13-334	3/4" Drive 12 Point Deep Socket 1-1/16"	13-352	3/4" Drive 12 Point Deep Socket 1-5/8"

ARMSTRONG® 3/4" Drive Ratchet

- Made in the USA - Quality and Availability
- Compact Head Design Permits Use in Confined areas.
- Recessed Reversing for Safety
- Torque Wrap Design Reduces Stress on Gear and Pawl Teeth for Greater Strength and Durability
- I-Beam Handle Design for Greater Strength in Industrial Environments
- Meets or Exceeds ASME B107.10M and US Federal Spec. GGG-W-641E



Cat. No.	UPC No.	Packaging	Overall Length	Head Width	Head Thickness	Tooth Count	Repair Kit	Product Weight	Shelf Pack Qty.
13-972	781412139723	Bulk with UPC	19.000 in	2.500 in	2.000 in	24	13-990	5.05 lb	1

ARMSTRONG® 3/4" Drive Black Oxide Ratchet

- Made in the USA - Quality and Availability
- Compact Head Design Permits Use in Confined areas.
- Recessed Reversing for Safety
- Torque Wrap Design Reduces Stress on Gear and Pawl Teeth for Greater Strength and Durability
- I-Beam Handle Design for Greater Strength in Industrial Environments
- Manufactured From High Alloy Steel Using the Most Up-To-Date Manufacturing Process and Heat Treat for Greater Strength and Durability



Cat. No.	UPC No.	Packaging	Overall Length	Head Width	Head Thickness	Tooth Count	Repair Kit	Product Weight	Shelf Pack Qty.
21-972	781412219722	Bagged	19.000 in	2.500 in	2.000 in	24	13-990	4.93 lb	1

ARMSTRONG® 3/4" Drive Quick Release Teardrop Ratchet

■ Made in the USA - Quality and Availability



Cat. No.	UPC No.	Packaging	Overall Length	Head Width	Head Thickness	Tooth Count	Product Weight	Shelf Pack Qty.
13-972A	781412137293	Bulk with UPC	19.690 in	2.500 in	2.280 in	36	5.20 lb	1

ARMSTRONG® 3/4" Drive Flex Handle / Breaker Bar

- Made in the USA - Quality and Availability
- Manufactured From High Alloy Steel Using the Most Up-To-Date Manufacturing Process and Heat Treat for Greater Strength and Durability
- Meets or Exceeds ASME B107.10M and US Federal Spec. GGG-W-641E



Cat. No.	UPC No.	Packaging	Overall Length	Product Weight	Shelf Pack Qty.
13-918	781412139181	Bagged	22.000 in	4.54 lb	1

ARMSTRONG® 3/4" Drive Black Oxide Flex Handle / Breaker Bar

- Made in the USA - Quality and Availability
- Manufactured From High Alloy Steel Using the Most Up-To-Date Manufacturing Process and Heat Treat for Greater Strength and Durability
- Meets or Exceeds ASME B107.10M and US Federal Spec. GGG-W-641E



Cat. No.	UPC No.	Packaging	Overall Length	Product Weight	Shelf Pack Qty.
21-918	781412219180	Bulk with UPC	22.000 in	4.49 lb	1

ARMSTRONG® 3/4" Drive Ratchet Repair Kit

■ Made in the USA - Quality and Availability



Cat. No.	UPC No.	Packaging	Description	Fits Product Number	Tooth Count	Product Weight	Shelf Pack Qty.
13-990	781412139907	Bagged	3/4" Drive Ratchet Repair Kit	13-972, 21-972	24	0.65 lb	1

ARMSTRONG® 3/4" Drive T-Handle

- Made in the USA - Quality and Availability
- Manufactured From High Alloy Steel Using the Most Up-To-Date Manufacturing Process and Heat Treat for Greater Strength and Durability
- Meets or Exceeds ASME B107.10M and US Federal Spec. GGG-W-641E



Cat. No.	UPC No.	Packaging	Overall Length	Product Weight	Shelf Pack Qty.
13-938	781412139389	Bulk with UPC	20.000 in	3.21 lb	1

ARMSTRONG® 3/4" Drive Universal Joint

- Made in the USA - Quality and Availability
- Maximum Operation Angle of 45 Degrees
- Unique Modified Ear Design Prevents Lock-Up at Extreme Angles, Allowing for Smooth, Continuous Operation
- Manufactured From High Alloy Steel Using the Most Up-To-Date Manufacturing Process and Heat Treat for Greater Strength and Durability
- Meets or Exceeds ASME B107.10M and US Federal Spec. GGG-W-641E



Cat. No.	UPC No.	Packaging	Overall Length	Female Drive Size	Male Drive Size	Product Weight	Shelf Pack Qty.
13-947	781412139471	Bagged	4.156 in	3/4"	3/4"	1.23 lb	1
13-947A	781412139747	Bagged	4.156 in	3/4"	3/4"	1.23 lb	1

ARMSTRONG® 3/4" Drive Adapters

- Made in the USA - Quality and Availability
- Manufactured From High Alloy Steel Using the Most Up-To-Date Manufacturing Process and Heat Treat for Greater Strength and Durability
- Meets or Exceeds ASME B107.10M and US Federal Spec. GGG-W-641E



Cat. No.	UPC No.	Packaging	Overall Length	Female Drive Size	Male Drive Size	Product Weight	Shelf Pack Qty.
13-951	781412139518	Bagged	2.093 in	3/4"	1/2"	0.51 lb	1
13-951A	781412139150	Bagged	2.093 in	3/4"	1/2"	0.45 lb	1
13-952	781412139525	Bagged	2.550 in	3/4"	1"	0.75 lb	1

ARMSTRONG® 3/4" Drive Extensions


- Made in the USA - Quality and Availability
- Meets or Exceeds ASME B107.10M and US Federal Spec. GGG-W-641E



Cat. No.	UPC No.	Packaging	Length	Wobble	Product Weight	Shelf Pack Qty.
13-922	781412139228	Bagged	5.000 in	No	1.10 lb	1
13-923	781412139235	Bagged	8.000 in	No	1.77 lb	1
13-925	781412139259	Bagged	16.000 in	No	3.41 lb	1

ARMSTRONG 3/4" Drive 12 Point SAE Standard Length Sockets

- Made in the USA - Quality and Availability
- Radius Corner Design Engages the Flats of the Fastener, Not the Corners, Providing Up to 15% -20% More Torque While Reducing Fastener Rounding, Enhancing the Turning of Worn Fasteners
- EYE-D™ Markings Optimize Size Visibility, Also Providing SAE / Metric Differentiation
- Socket Wall Dimensions are Optimized to Provide Strength While Retaining Access to Restricted Fasteners
- Manufactured From High Alloy Steel Using the Most Up-To-Date Manufacturing Process and Heat Treat for Greater Strength and Durability
- Meets or Exceeds ASME B107.1-2002 and US Federal Spec. GGG-W-641 E



Cat. No.	UPC No.	Packaging	Drive Type	Fastener Size	Dim. A: Drive End	Dim. B: Wrench End	Dim. C: Overall Length	Dim. D: Bolt Clearance	Dim. E: Wrench Depth	Dim. F: Length to Shoulder	Product Weight	Shelf Pack Qty.
13-124	781412131246	Bulk	12 Point	3/4 in	1.290 in	1.187 in	1.900 in	0.625 in	0.540 in	0.813 in	0.36 lb	1
13-126	781412131260	Bulk	12 Point	13/16 in	1.295 in	1.295 in	1.937 in	0.625 in	0.540 in	-	0.40 lb	1
13-128	781412131284	Bulk	12 Point	7/8 in	1.375 in	1.375 in	1.968 in	0.688 in	0.540 in	-	0.46 lb	1
13-130	781412131307	Bulk	12 Point	15/16 in	1.390 in	1.390 in	1.968 in	0.688 in	0.650 in	-	0.48 lb	1
13-132	781412131321	Bulk	12 Point	1 in	1.480 in	1.480 in	2.000 in	0.688 in	0.650 in	-	0.50 lb	1
13-134	781412131345	Bulk	12 Point	1-1/16 in	1.540 in	1.540 in	2.094 in	0.688 in	0.650 in	-	0.54 lb	1
13-136	781412131369	Bulk	12 Point	1-1/8 in	1.540 in	1.640 in	2.125 in	1.062 in	0.750 in	0.625 in	0.69 lb	1
13-138	781412131383	Bulk	12 Point	1-3/16 in	1.540 in	1.640 in	2.188 in	1.062 in	0.750 in	0.625 in	0.62 lb	1
13-140	781412131406	Bulk	12 Point	1-1/4 in	1.573 in	1.853 in	2.170 in	1.250 in	1.000 in	1.370 in	0.80 lb	1
13-142	781412131420	Bulk	12 Point	1-5/16 in	1.573 in	1.903 in	2.233 in	1.312 in	1.100 in	1.410 in	0.84 lb	1
13-144	781412131444	Bulk	12 Point	1-3/8 in	1.573 in	1.903 in	2.233 in	1.375 in	1.100 in	1.410 in	0.76 lb	1
13-146	781412131468	Bulk	12 Point	1-7/16 in	1.573 in	2.063 in	2.295 in	1.440 in	1.200 in	1.390 in	0.96 lb	1
13-148D	781412131482	Bulk	12 Point	1-1/2 in	1.603 in	2.098 in	2.295 in	1.500 in	1.200 in	1.390 in	1.07 lb	1
13-150	781412131505	Bulk	12 Point	1-9/16 in	1.648 in	2.098 in	2.420 in	1.560 in	1.200 in	1.540 in	1.00 lb	1
13-152	781412131529	Bulk	12 Point	1-5/8 in	1.633 in	2.213 in	2.485 in	1.620 in	1.200 in	1.540 in	1.54 lb	1
13-154D	781412131543	Bulk	12 Point	1-11/16 in	1.633 in	2.313 in	2.485 in	1.680 in	1.200 in	1.490 in	1.26 lb	1
13-156D	781412131567	Bulk	12 Point	1-3/4 in	1.663 in	2.393 in	2.640 in	1.750 in	1.300 in	1.620 in	1.28 lb	1
13-158	781412131581	Bulk	12 Point	1-13/16 in	1.758 in	2.495 in	2.795 in	1.810 in	1.400 in	1.770 in	1.97 lb	1
13-160	781412131604	Bulk	12 Point	1-7/8 in	1.758 in	2.590 in	2.860 in	1.880 in	1.500 in	1.780 in	2.22 lb	1
13-164	781412131642	Bulk	12 Point	2 in	1.758 in	2.690 in	2.985 in	2.000 in	1.600 in	1.860 in	2.54 lb	1
13-166	781412131666	Bulk	12 Point	2-1/16 in	1.948 in	2.730 in	3.015 in	2.060 in	1.600 in	1.960 in	2.84 lb	1
13-168	781412131680	Bulk	12 Point	2-1/8 in	1.948 in	2.855 in	3.045 in	2.120 in	1.600 in	1.930 in	3.03 lb	1
13-170	781412131703	Bulk	12 Point	2-3/16 in	1.948 in	2.855 in	3.045 in	2.180 in	1.700 in	1.930 in	3.23 lb	1
13-172	781412131727	Bulk	12 Point	2-1/4 in	1.948 in	3.030 in	3.170 in	2.250 in	1.700 in	1.970 in	3.48 lb	1
13-174	781412131741	Bulk	12 Point	2-5/16 in	1.948 in	3.020 in	3.235 in	2.310 in	1.700 in	2.040 in	3.88 lb	1
13-176D	781412131765	Bulk	12 Point	2-3/8 in	1.948 in	3.030 in	3.235 in	2.380 in	1.700 in	2.030 in	4.11 lb	1


3 / 4 "

3

RATCHETS / SOCKETS / DRIVE TOOLS / SETS

ARMSTRONG® 3/4" Drive 12 Point Metric Standard Length Sockets


- Made in the USA - Quality and Availability
- Radius Corner Design Engages the Flats of the Fastener, Not the Corners, Providing Up to 15% -20% More Torque While Reducing Fastener Rounding, Enhancing the Turning of Worn Fasteners
- EYE-D™ Markings Optimize Size Visibility, Also Providing SAE / Metric Differentiation
- Socket Wall Dimensions are Optimized to Provide Strength While Retaining Access to Restricted Fasteners
- Manufactured From High Alloy Steel Using the Most Up-To-Date Manufacturing Process and Heat Treat for Greater Strength and Durability
- Meets or Exceeds ASME B107.5M-2002



Cat. No.	UPC No.	Packaging	Drive Type	Fastener Size	Dim. A: Drive End	Dim. B: Wrench End	Dim. C: Overall Length	Dim. D: Bolt Clearance	Dim. E: Wrench Depth	Dim. F: Length to Shoulder	Product Weight	Shelf Pack Qty.
40-119	781412401196	Bulk	12 Point	19 mm	1.291 in	1.185 in	1.937 in	0.563 in	0.598 in	0.815 in	0.34 lb	1
40-120	781412401202	Bulk	12 Point	20 mm	1.291 in	1.217 in	1.937 in	0.563 in	0.598 in	0.874 in	0.38 lb	1
40-121	781412401219	Bulk	12 Point	21 mm	1.295 in	1.295 in	1.969 in	0.689 in	0.598 in	-	0.38 lb	1
40-122	781412401226	Bulk	12 Point	22 mm	1.370 in	1.370 in	1.969 in	0.689 in	0.598 in	-	0.38 lb	1
40-123	781412401233	Bulk	12 Point	23 mm	1.390 in	1.390 in	1.969 in	0.689 in	0.598 in	-	0.44 lb	1
40-124	781412401240	Bulk	12 Point	24 mm	1.390 in	1.390 in	1.969 in	0.752 in	0.626 in	-	0.44 lb	1
40-125	781412401257	Bulk	12 Point	25 mm	1.480 in	1.480 in	2.000 in	0.752 in	0.669 in	-	0.50 lb	1
40-126	781412401264	Bulk	12 Point	26 mm	1.480 in	1.480 in	2.059 in	0.752 in	0.701 in	-	0.56 lb	1
40-127	781412401271	Bulk	12 Point	27 mm	1.539 in	1.539 in	2.094 in	0.752 in	0.701 in	-	0.56 lb	1
40-128	781412401288	Bulk	12 Point	28 mm	1.500 in	1.598 in	2.118 in	0.811 in	0.752 in	0.626 in	0.58 lb	1
40-129	781412401295	Bulk	12 Point	29 mm	1.500 in	1.642 in	2.118 in	0.811 in	0.752 in	0.626 in	0.60 lb	1
40-130	781412401301	Bulk	12 Point	30 mm	1.500 in	1.642 in	2.189 in	1.063 in	0.752 in	0.626 in	0.60 lb	1
40-132	781412401325	Bulk	12 Point	32 mm	1.567 in	1.819 in	2.169 in	1.260 in	1.098 in	1.382 in	0.78 lb	1
40-135	781412401356	Bulk	12 Point	35 mm	1.571 in	1.902 in	2.236 in	1.378 in	1.098 in	1.409 in	0.80 lb	1
40-136	781412401363	Bulk	12 Point	36 mm	1.571 in	2.024 in	2.295 in	1.417 in	1.098 in	1.409 in	1.08 lb	1
40-138	781412401387	Bulk	12 Point	38 mm	1.634 in	2.094 in	2.358 in	1.496 in	1.201 in	1.469 in	1.08 lb	1
40-141	781412401417	Bulk	12 Point	41 mm	1.602 in	2.209 in	2.516 in	1.614 in	1.299 in	1.551 in	1.18 lb	1
40-142	781412401424	Bulk	12 Point	42 mm	1.634 in	2.209 in	2.543 in	1.654 in	1.299 in	1.594 in	1.20 lb	1
40-146	781412401462	Bulk	12 Point	46 mm	1.756 in	2.496 in	2.795 in	1.811 in	1.402 in	1.764 in	1.26 lb	1
40-150	781412401509	Bulk	12 Point	50 mm	1.756 in	2.606 in	2.984 in	1.969 in	1.402 in	1.902 in	1.56 lb	1
40-154	781412401547	Bulk	12 Point	54 mm	1.941 in	2.854 in	3.039 in	2.126 in	1.402 in	1.929 in	1.96 lb	1
40-155	781412401554	Bulk	12 Point	55 mm	1.941 in	2.854 in	3.142 in	2.165 in	1.500 in	2.024 in	1.96 lb	1
40-158	781412401585	Bulk	12 Point	58 mm	1.941 in	2.965 in	3.236 in	2.283 in	1.701 in	2.063 in	1.94 lb	1
40-160	781412401608	Bulk	12 Point	60 mm	1.941 in	3.130 in	3.236 in	2.362 in	1.701 in	1.980 in	2.34 lb	1

ARMSTRONG® 3/4" Drive 12 Point SAE Deep Length Sockets

- Made in the USA - Quality and Availability
- Radius Corner Design Engages the Flats of the Fastener, Not the Corners, Providing Up to 15% -20% More Torque While Reducing Fastener Rounding, Enhancing the Turning of Worn Fasteners
- EYE-D™ Markings Optimize Size Visibility, Also Providing SAE / Metric Differentiation
- Socket Wall Dimensions are Optimized to Provide Strength While Retaining Access to Restricted Fasteners
- Manufactured From High Alloy Steel Using the Most Up-To-Date Manufacturing Process and Heat Treat for Greater Strength and Durability
- Meets or Exceeds ASME B107.1-2002 and US Federal Spec. GGG-W-641 E



Cat. No.	UPC No.	Packaging	Drive Type	Fastener Size	Dim. A: Drive End	Dim. B: Wrench End	Dim. C: Overall Length	Dim. D: Bolt Clearance	Dim. E: Wrench Depth	Dim. F: Length to Shoulder	Product Weight	Shelf Pack Qty.
13-328	781412133288	Bulk	12 Point	7/8 in	1.375 in	1.375 in	3.375 in	0.840 in	1.000 in	-	0.72 lb	1
13-330	781412133301	Bulk	12 Point	15/16 in	1.390 in	1.390 in	3.375 in	0.840 in	1.000 in	-	0.82 lb	1
13-332	781412133325	Bulk	12 Point	1 in	1.480 in	1.480 in	3.375 in	0.880 in	1.150 in	-	3.34 lb	1
13-334	781412133349	Bulk	12 Point	1-1/16 in	1.540 in	1.540 in	3.500 in	0.880 in	1.150 in	-	3.42 lb	1
13-336	781412133363	Bulk	12 Point	1-1/8 in	1.625 in	1.625 in	3.500 in	0.796 in	0.875 in	-	3.37 lb	1
13-340	781412133400	Bulk	12 Point	1-1/4 in	1.562 in	1.750 in	3.500 in	1.060 in	1.150 in	0.625 in	3.39 lb	1
13-342	781412133424	Bulk	12 Point	1-5/16 in	1.562 in	1.875 in	3.500 in	1.280 in	1.250 in	0.625 in	3.45 lb	1
13-344	781412133448	Bulk	12 Point	1-3/8 in	1.562 in	1.875 in	3.500 in	1.300 in	1.250 in	0.625 in	3.46 lb	1
13-346	781412133462	Bulk	12 Point	1-7/16 in	1.562 in	2.000 in	3.500 in	1.300 in	1.250 in	0.625 in	3.41 lb	1
13-348	781412133486	Bulk	12 Point	1-1/2 in	1.562 in	2.010 in	3.500 in	1.300 in	1.250 in	0.625 in	3.53 lb	1
13-352	781412133523	Bulk	12 Point	1-5/8 in	2.250 in	2.250 in	3.500 in	1.046 in	1.187 in	-	3.44 lb	1

ARMSTRONG® 3/4" Drive 12 Point Metric Deep Length Sockets

- Made in the USA - Quality and Availability
- Radius Corner Design Engages the Flats of the Fastener, Not the Corners, Providing Up to 15% -20% More Torque While Reducing Fastener Rounding, Enhancing the Turning of Worn Fasteners
- EYE-D™ Markings Optimize Size Visibility, Also Providing SAE / Metric Differentiation
- Socket Wall Dimensions are Optimized to Provide Strength While Retaining Access to Restricted Fasteners
- Manufactured From High Alloy Steel Using the Most Up-To-Date Manufacturing Process and Heat Treat for Greater Strength and Durability
- Meets or Exceeds ASME B107.5M-2002



Cat. No.	UPC No.	Packaging	Drive Type	Fastener Size	Dim. A: Drive End	Dim. B: Wrench End	Dim. C: Overall Length	Dim. D: Bolt Clearance	Dim. E: Wrench Depth	Dim. F: Length to Shoulder	Product Weight	Shelf Pack Qty.
40-319	781412403190	Bulk	12 Point	19 mm	1.315 in	1.118 in	3.374 in	0.728 in	0.563 in	1.374 in	0.68 lb	1
40-322	781412403220	Bulk	12 Point	22 mm	1.315 in	1.315 in	3.374 in	0.839 in	1.000 in	-	3.17 lb	1
40-323	781412403237	Bulk	12 Point	23 mm	1.374 in	1.374 in	3.374 in	0.839 in	1.000 in	-	3.22 lb	1
40-324	781412403244	Bulk	12 Point	24 mm	1.374 in	1.374 in	3.374 in	0.839 in	1.000 in	-	3.26 lb	1
40-327	781412403275	Bulk	12 Point	27 mm	1.531 in	1.531 in	3.500 in	0.839 in	1.000 in	-	3.50 lb	1
40-330	781412403305	Bulk	12 Point	30 mm	1.685 in	1.685 in	3.500 in	0.890 in	0.811 in	-	3.50 lb	1
40-332	781412403329	Bulk	12 Point	32 mm	1.563 in	1.752 in	3.500 in	1.059 in	1.126 in	0.752 in	3.50 lb	1
40-335	781412403350	Bulk	12 Point	35 mm	1.563 in	1.874 in	3.500 in	1.299 in	1.126 in	0.752 in	3.50 lb	1
40-336	781412403367	Bulk	12 Point	36 mm	1.563 in	1.937 in	3.500 in	1.299 in	1.126 in	0.752 in	3.52 lb	1
40-338D	781412403381	Bulk	12 Point	38 mm	1.874 in	2.000 in	3.500 in	1.299 in	1.126 in	0.752 in	3.53 lb	1
40-341	781412403411	Bulk	12 Point	41 mm	1.626 in	2.248 in	3.500 in	1.189 in	1.311 in	-	3.75 lb	1
40-346	781412403466	Bulk	12 Point	46 mm	1.752 in	2.441 in	3.500 in	1.311 in	1.437 in	-	3.95 lb	1
40-350	781412403503	Bulk	12 Point	50 mm	1.752 in	2.685 in	4.000 in	1.437 in	1.437 in	-	3.95 lb	1
40-355	781412403558	Bulk	12 Point	55 mm	1.941 in	3.000 in	4.252 in	1.563 in	1.500 in	-	3.95 lb	1
40-360	781412403602	Bulk	12 Point	60 mm	1.941 in	3.252 in	4.500 in	1.626 in	1.752 in	-	4.34 lb	1